

FTTH BOX-1 CORE



FEATURE

Applicable for SC adaptor, 1 Core

ABS Material, 115*86*23mm

Indoor Wall-Mounted

FEATURE

Applicable for SC adaptor, 1 Core

ABS Material, 148*89*16mm

Indoor Wall-Mounted



FEATURE

Applicable for SC adaptor, 1 Core

ABS Material, 150*120*37mm

Indoor Wall-Mounted

FTTH BOX-2 CORES



FEATURE

Applicable for SC adaptors, 2 Cores

ABS Material, 86*86*27mm

Indoor Wall-Mounted

FEATURE

Applicable for SC adaptors, 2 Cores

ABS Material, 89*89*16mm

Indoor Wall-Mounted



FEATURE

Applicable for SC adaptors, 2 Cores

ABS Material, 105*82.5*22.5mm

Indoor Wall-Mounted



FTTH BOX-2 CORES



FEATURE

Applicable for SC adaptors, 2 Cores

PC+ABS Material, 165*105*30mm

Indoor/Outdoor Wall-Mounted


FEATURE

Applicable for SC adaptors, 2 Cores

ABS Material, 130*84*24mm

Indoor Wall-Mounted


FEATURE




Applicable for SC adaptors, 2 Cores

ABS Material, 123*80*27mm

Indoor Wall-Mounted



FTTH BOX-4 CORES



FEATURE

Applicable for SC adaptors, 4 Cores

PC+ABS Material, 185*120*38mm

Indoor/Outdoor Wall-Mounted

Applicable for SC adaptors, 4 Cores

ABS Material, 150*110*33mm

Indoor Wall-Mounted



FEATURE

FEATURE


Applicable for SC adaptors, 4 Cores

ABS Material, 164*90*24mm

Indoor Wall-Mounted



FTTH BOX-6/8 CORES



FEATURE

Applicable for SC adaptors, 6 Cores

PC+ABS Material, 185*120*38mm


Indoor/Outdoor Wall-Mounted

FEATURE

Applicable for SC adaptors, 8 Cores

ABS Material, 231*125*50mm

Indoor Wall-Mounted



FEATURE

Applicable for 8 Cores

ABS Material, 198*129.5*29mm

Indoor Wall-Mounted



FTTH BOX-8 CORES



FEATURE

Applicable for SC adaptors, 8 Cores

PC+ABS Material, 213*163*47mm

Indoor/Outdoor Wall-Mounted

FEATURE

Applicable for SC adaptors, 8 Cores

PC+ABS Material, 235*205*55mm

Indoor/Outdoor Wall-Mounted



FEATURE

Applicable for 8 Cores

PC+ABS Material, 290*185*117mm

IP 65 Protection

Aerial-Mounted



FTTH BOX-12 CORES



FEATURE

Applicable for SC adaptors, 12 Cores

PC+ABS Material, 205*180*50mm

Indoor/Outdoor Wall-Mounted

FEATURE

Applicable for SC adaptors, 12 Cores

PC+ABS Material, 225*215*75mm

Indoor/Outdoor Wall-Mounted



FEATURE

Applicable for SC adaptors, 12 Cores

PC+ABS Material, 275*205*95mm

IP65 Protection

Indoor/Outdoor Wall-Mounted



FTTH BOX-16 CORES



FEATURE

Applicable for SC adaptors, 16 Cores

PC+ABS Material, 320*260*95mm

IP 65 Protections

Indoor/Outdoor Wall-Mounted

FEATURE

Applicable for SC adaptors, 16 Cores

PC+ABS Material, 305*230*80mm

IP 65 Protections

Indoor/Outdoor Wall-Mounted



FEATURE

Applicable for SC adaptors 16 Cores, 2 Splitter Module 1x8

PC+ABS Material, 290*185*100mm

IP 65 Protections

Indoor/Outdoor Wall-Mounted



FTTH BOX-16 CORES

FEATURE

Applicable for 16 Cores

PC+ABS Material, 235*195*125mm

IP 65 Protections

Indoor/Outdoor Wall-Mounted



FEATURE

Applicable for SC adaptors, 8/16 Cores

PP+Glassfiber Material, 290*190*105mm

IP 65 Protections

Aerial-Mounted

FEATURE

Applicable for 8/16 Cores

PC+ABS Material, 295*210*80mm

IP 65 Protections

Indoor/Outdoor Wall-Mounted



FTTH BOX-24 CORES



FEATURE

Applicable for SC adaptors, 24 Cores

PC+ABS Material, 379*293*115mm

IP 65 Protections

Indoor/Outdoor Wall-Mounted

FEATURE

Applicable for SC Adaptors, 24 Cores

PC+ABS Material, 320*275*105mm

IP 65 Protections

Indoor/Outdoor Wall-Mounted



FEATURE

Applicable for SC adaptors, 24 Cores

PC+ABS Material, 320*255*100mm

IP 65 Protections

Indoor/Outdoor Wall-Mounted



INLINE CLOSURE



APPLICATION

Long-Distance Optical Transmission Network

FTTH, FTTC, FTTB

FEATURE

Capable of Aerial, Underground Use

High Impact PC Material, IP68 Protection

3 Models, Up to 96 Cores Capacity



SPECIFICATION



Model	Material	Capacity	Ports	Cable Diameter	Dimension(mm)
IC-48	PC&ABS	12-48 Cores	2+2 Ports	16mm Max	340*160*70
IC-96A	PC&ABS	24-96 Cores	3+3 Ports	23mm Max	400*190*108
IC-96B	PC&ABS	12-96 Cores	3+3 Ports	22mm Max	410*165*150

DOME CLOSURE

APPLICATION

Long-Distance Optical Transmission Network

FTTH, FTTC, FTTB

FEATURE

Capable of Aerial, Underground and Pole-Mounted Use

High Impact PC Material, IP68 Protection

4 Round Ports, 1 Oval+3/4 Round Ports

288*135mm, 12-48 Cores



FEATURE

Capable of Aerial, Underground and Pole-Mounted Use

High Impact PC Material, IP68 Protection

4 Round Ports, 1 Oval+3/4 Round Ports

425*150mm, 24-96 Cores

DOME CLOSURE

APPLICATION

Long-Distance Optical Transmission Network

FTTH, FTTC, FTTB

FEATURE

Capable of Aerial, Underground and Pole-Mounted Use

High Impact PP Material, IP68 Protection

1 Oval+4 Round Ports

450*175mm, 24-144 Cores

FEATURE



Capable of Aerial, Underground and Pole-Mounted Use

High Impact PP Material, IP68 Protection

1 Oval+8 Round Ports

450*175mm, 24-144 Cores



SPLICE CLOSURE

APPLICATION

Long-Distance Optical Transmission Network

FTTH, FTTC, FTTB

FEATURE

Capable of Wall-Mounted, Pole-Mounted

High Impact Material, IP68 Protection

385*245*130mm, up to 96 Cores



FEATURE

Capable of Wall-Mounted, Pole-Mounted

High Impact Material, IP68 Protection

385*245*130mm, up to 288 Cores

